

Press Information

August 27, 2020 (1/8)

## Daihatsu Partially Improvement Hijet Truck and Hijet Cargo Mini Commercial Vehicles and Atrai Wagon Mini Passenger Vehicle Special Purpose Trucks Feature Smart Assist IIIt Crash Avoidance System







Hijet Truck Extra SA IIIt

Hijet Cargo Deluxe SA III

Atrai Wagon Custom Turbo RS SA III

Daihatsu Motor Co., Ltd. partially upgraded the Hijet Truck and Hijet Cargo mini commercial vehicles and Atrai Wagon mini passenger vehicle. Nationwide sales are slated to start on August 27.

The Hijet mini commercial vehicle was launched in 1960, and since then, it has been cherished by customers working in a wide range of industries including agriculture, construction, transportation, and service. It is a popular model with cumulative production exceeding 7 million units.

The Hijet Truck was most recently fully redesigned in September 2014. The partial improvement in May 2018 added the Smart Assist IIIt crash avoidance system\*1 to make the Hijet Truck the first mini commercial vehicle with such a system.\*2 The Hijet Cargo is favored by customers for its usability and ease of loading and unloading. The current model is the 10th generation.

The Atrai Wagon is a mini passenger vehicle based on the Hijet Cargo. It is used for many different applications ranging from day-to-day activities to business and leisure. The Hijet Truck, Hijet Cargo, and Atrai Wagon are available in an extensive lineup of special purpose vehicles.

For these partial improvement, rear sonar and an erroneous start prevention function (rear side)\*3 have been made standard on Hijet Truck models equipped with the Smart Assist IIIt crash avoidance system. In addition, special purpose Hijet Truck models will also be equipped with Smart Assist IIIt, a first for special purpose mini commercial vehicles, \*4 providing safety and reassurance to an even wider range of customers.

Safety has been enhanced on the Hijet Truck, Hijet Cargo, and Atrai Wagon including making automatic lights standard. In addition, fuel efficiency levels has been changed to WLTC mode\*5 in compliance with laws and regulations.

Based on its "Light you up" approach, going forward Daihatsu will continue to provide optimal mobility to every one of its customers, and cater to their needs via its extended range of mini vehicles and compact cars.

<sup>\*1.</sup> As of May 2018, according to research conducted by Daihatsu.

<sup>\*2.</sup> Smart Assist IIIt is intended to support driving by the driver, and therefore, there are limitations to its functions and it may not operate depending in road surface, weather and other conditions. Please drive safely without over relying on this function. For details, please inquire with a sales company or refer to the user manual.
\*3. The erroneous start prevention function (rear side) is available only on automatic transmission models.

<sup>\*4.</sup> As of August 2020. The first model listed in the catalogs of automakers. According to research conducted by Daihatsu. \*5.WLTC mode is an international driving mode comprising an allocation of average use times in urban, suburban, and highway driving modes.

# \* Details of Partial Improvement Common to All Grades\* • Automatic lights standard on all grades • WLTC mode driving\*5 fuel efficiency values adopted.

#### **Fuel Efficiency Hijet Truck**

ſ				•	Fuel C	Fuel Consumption Rate (km/l)*7 (MLIT Test Values				
			Transmissi	Drive	Drive WLTC Mode Driving		1000			
	Grade	Engine	Ingine Transmissi on	syste m	WLTC Mode <sup>*5</sup>	Urban Mode <sup>*8</sup>	Suburba n Mode <sup>*9</sup>	Highway Mode <sup>*10</sup>	JC08 Mode Driving	
	All grades	NA <sup>*6</sup>	4AT 5MT	2WD 4WD	15.3	13.2	16.8	15.5	-	

**Hijet Cargo** 

ijet Cargo			1					
				Fuel C	onsumption	Rate (km/l)	7 (MLIT Tes	t Values)
Grade	Engine	Transmission	Drive		WLTC Mo	ode Driving		JC08
Grade	Liigiiic	Transmission.	system	WLTC	Urban	Suburban	Highway	Mode
				Mode*5	Mode*8	Mode*9	Mode*10	Driving
		4AT	2WD	14.1	12.3	14.9	14.5	17.8
Special, Special "SA		47 (1	4WD		12.0	1 1.0	11.0	17.4
III"		5MT	2WD	15.2	13.4	16.5	15.3	17 Q
		SIVIT	4WD	13.2	13.4	10.5	13.3	17.0
Special Clean, Special Clean "SA		4AT	2WD	14.1	12.2	15.0	14.5	17.8
III"		5MT	4WD	14.1	12.2	10.0	14.0	17.4
		4AT	2WD	14.1	12.3	14.9	14.5	17.8
Deluxe, Deluxe "SA		4A1	4WD	14.1	12.3	14.9	14.5	17.4
111"	$NA^{\%6}$	CNAT	2WD	15.2	13.4	16.5	15.3	17.4 17.8
		5MT	4WD	13.2	13.4	10.5	15.5	17.0
		4.4-	2WD	444	40.0	44.0	44.5	17.8
		4AT	4WD	14.1	12.3	14.9	14.5	16.6
Cruise "SA III"		- FNAT	2WD	45.0	40.4	40.5	45.0	17.4 17.8 17.8 17.4 17.8 17.4 17.8 17.4 17.8 17.8 16.6 17.8 17.2 16.0
		5MT	4WD	15.2	13.4	16.5	15.3	17.8
		4.4.	2WD	40.7	44.0	44.0	44.5	17.2
		4AT	4WD	13.7	11.2	14.6	14.5	16.0
Cruise Turbo "SA III"		5N4T	2WD	15.0	12.0	16.7	15.4	18.8
		5MT	4WD	15.2	13.0	16.7	15.4	17.8

Atrai Wagon

. <u></u>								
			Drive	Fuel C	Consumption	n Rate (km/l)	*7 (MLIT Tes	t Values)
Grade	Engine	Transmissi syste			WLTC Mo	de Driving		JC08
	Liigiile	on	,	WLTC Urban Suburb	Suburba	Highway	Mode	
			m	Mode*5	Mode*8	n Mode*9	Mode*10	Driving
Custom Turbo RS "SA			2WD	14.2	11.7	15.1	15.0	
III"			4WD	13.4	11.3	14.1	14.1	
Custom Turbo RS	TC**11	4AT	2WD	14.2	11.7	15.1	15.0	-
Limited "SA III"			4WD	13.4	11.3	14.1	14.1	

<sup>\*6.</sup> Natural Aspiration (naturally aspirated engine).

<sup>\*7.</sup> The fuel consumption rates are values under specified test conditions. Fuel consumption rates may vary depending on the customer use environment (weather, traffic congestion, etc.) and driving methods (sudden starts, air conditioner specifications, etc.).

<sup>\*8.</sup> Urban mode anticipates relatively low-speed driving due to effects from traffic signals, congestion, etc.

<sup>\*9.</sup> Suburban mode anticipates driving with little impact form traffic signals, congestion, etc.

<sup>\*10.</sup> Highway model anticipates driving on highways and other similar roads.

<sup>\*11.</sup> Turbo Charger (turbo engine).

- \* Details of Partial Improvement to the Hijet Truck \*
- Rear sonar and erroneous start prevention function (rear side) standard on models equipped with Smart Assist IIIt
- \* Details of Partial Improvement to the Hijet Truck and Hijet Cargo Special Purpose Vehicles \*
  - Special purpose Hijet Truck models equipped with Smart Assist IIIt\*3,\*12
- Special purpose Hijet Truck models and special purpose Hijet Cargo models with modified frames\*13 equipped with VSC\*14 as a standard feature.
- \* Manufacturers Recommended Retail Prices (including 10% consumption tax) \*

(Prices are recommended retail prices and are for reference purposes. Prices are independently set by dealers. Please inquire with a dealer for details.)

**Hijet Truck** 

jet Iruck								
Grade	Engine	Transmission	Smart Assist	Drive system	Price (in yen)			
0: 1 1		- FNAT		2WD	693,000			
Standard		5MT		4WD	847,000			
No air conditioning/power		4.4.	-	2WD	792,000			
steering		4AT		4WD	693,000 847,000 792,000 946,000 847,000 1,001,000 946,000 1,100,000 918,500 1,072,500 1,017,500 1,171,500 1,028,500 1,100,000 1,215,500 1,160,500 1,314,500 863,500 1,017,500 962,500 1,116,500 935,000			
		5MT		2WD	847,000			
Standard		SIVII		4WD	1,001,000			
Standard		4AT	-	2WD	946,000			
		4A1	•••	4WD	1,100,000			
		CNAT		2WD	918,500			
Standard "SA IIIt"	Standard	5MT	0	4WD	1,072,500			
Standard SA IIIt		4AT	0 [	2WD	1,017,500			
		4A1		4WD	1,171,500			
Standard Agriculture special		5MT	-	4WD	1,028,500			
Standard Agriculture special "SA IIIt"		5MT	0	4WD	1,100,000			
		51.47		2WD	1,061,500			
A F+ "OA III4"		5MT	0	4WD	1,215,500			
☆ Extra "SA IIIt"	NA	4.0-		2WD	1,160,500			
		4AT		4WD	1,314,500			
		CN AT		2WD	863,500			
		5MT		4WD	1,017,500			
High Roof			-	2WD				
		4AT		4WD				
				2WD				
		5MT		4WD	1,089,000			
High roof "SA IIIt"		4 4 -	0	2WD	1,034,000			
		4AT	•••	4WD	1,188,000			
		C N A T		2WD	1,116,500			
Li una la la		5MT	· · ·	4WD	1,270,500			
Jumbo		4.4.	-	2WD	1,215,500			
		4AT		4WD	1,369,500			
		ENAT		2WD	1,177,000			
Lunck - "C A III±""		5MT		4WD	1,331,000			
Jumbo "SA IIIt""		4.4.	0	2WD	1,276,000			
		4AT		4WD	1.430.000			

Prices are 11,000 yen (including consumption tax) higher in Hokkaido. Prices do not include recycling costs.

<sup>\*12.</sup> Models with compact tail lift in the dump truck series and lift series do not have the erroneous start prevention function (rear side).

<sup>\*13.</sup> Vehicles based on vehicles with model-type approval that require carry-in inspection.

<sup>\*14.</sup> Vehicle Stability Control. VSC is a registered trademark of Toyota Motor Corporation (licensed).

# Special Purpose Hijet Truck

Dump Truck Series

Grade	Dump Type	Engine	Transmission	Smart Assist	Drive system	Price (in yen)
Low Dump			5MT	_		1,281,500
Low Bump	Electric		4AT			1,364,000
Low Dump "SA	Lieotiio		5MT	0		1,325,500
IIIt"			4AT	)		1,281,500 1,364,000
Multipurpose	РТО		5MT			1,496,000
Dump	F		5MT	-		1,386,000
	Electric		4AT		A) A / D	1,468,500
Multipurpose	РТО		5MT	•	4WD	1,540,000
Dump "SA IIIt"			5MT	0		
	Electric		4AT			1,512,500
Earth/sand dump	DTO	NA		-		1,468,500
Earth/sand Dump "SA IIIt"	РТО		5MT	0		1,512,500
			5MT		2WD	1,265,000
Cleaning Dump			SIVIT		4WD	1,435,500
Cleaning Dump			4AT	-	4WD	1,518,000
	Electric		CNT		2WD	1,309,000
Cleaning Dump			5MT	0	4WD	1,479,500
"SA IIIT"			4AT	0	4WD	1,562,000

### **Lift Series**

Grade	Engine	Transmission	Smart Assist	Drive system	Price (in yen)			
		CNAT		2WD	1,292,500			
Vertical tail lift		5MT		4WD	1,292,500 1,446,500 1,391,500 1,545,500 1,342,000 1,496,000 1,441,000 1,595,000 1,204,500 1,358,500 1,303,500 1,457,500			
		4AT	-	2WD	1,391,500			
		4A1		4WD	1,545,500			
		5MT		2WD	1,342,000			
Vertical tail lift "SA IIIt"		SIVIT	0	4WD	1,496,000 1,441,000			
		4AT		2WD	1,441,000			
	NA			4WD	1,595,000			
	INA	5MT		2WD	1,204,500			
Compact toil lift		SIVIT		4WD	1,441,000 1,595,000 1,204,500 1,358,500			
Compact tail lift		4AT	-	2WD	1,303,500			
		4A1		4WD	1,457,500			
		5MT		2WD	1,248,500			
Compact toil lift "SA III+"		JIVI I	0	4WD	1,402,500			
Compact tail lift "SA IIIt"		4AT		2WD	1,347,500			
		4A1		4WD	1,501,500			

**Refrigerator and Freezer Series** 

Grade	Engine	Transmission	Smart Assist	Drive system	Price (in yen)
		5.4T		2WD	1,782,000
Color aluminum medium-		5MT		4WD	1,936,000
temperature freezer truck		4.4.	-	2WD	1,881,000
		4AT		4WD	2,035,000
Color aluminum medium-				2WD	1,831,500
temperature freezer truck "SA	5MT	4WD	1,985,500		
IIIt"				2WD	1,930,500
		4AT		4WD	2,084,500
FRP medium-temperature				2WD	1,870,000
•		5MT		4WD	2,024,000
freezer truck with sliding door on			i - i	2WD	1,969,000
one side		4AT		4WD	2,123,000
CDD was divine town another				2WD	1,919,500
FRP medium-temperature		5MT		4WD	2,073,500
freezer truck with sliding door on one side "SA IIIt"				2WD	2,018,500
One side OA IIII		4AT		4WD	2,172,500
CDD was divine town another				2WD	1,941,500
FRP medium-temperature		5MT		4WD	2,095,500
refrigerator car freezer truck with sliding door on both sides		2WD	2,040,500		
with sliding door on both sides		4AT		4WD	2,194,500
EDD di tanın anatı		5147		2WD	1,991,000
FRP medium-temperature freezer truck with sliding door on both sides "SA IIIt"		5MT		4WD	2,145,000
	NA 4AT 5MT -		2WD	2,090,000	
both sides SA IIIt		4AT		4WD	2,244,000
				2WD	2,277,000
Color aluminum low-			4WD	2,431,000	
temperature freezer truck		1 - I	2WD	2,376,000	
		4AT		4WD	2,530,000
Calar alteraire en la co				2WD	2,326,500
Color aluminum low-		5MT		4WD	2,480,500
temperature freezer truck "SA IIIt"				2WD	2,425,500
IIIC		4AT		4WD	2,579,500
				2WD	1,298,000
Color aluminum refrigerator		5MT		4WD	1,452,000
truck			† -	2WD	1,397,000
		4AT		4WD	1,551,000
				2WD	1,347,500
Color aluminum refrigerator		5MT		4WD	1,501,500
truck "SA IIIt"			0	2WD	1,446,500
		4AT		4WD	1,600,500
				2WD	1,309,000
Color steel plate		5MT		4WD	1,463,000
simple refrigerator truck			1 -	2WD	1,408,000
Simple Tomgorator truck		4AT		4WD	1,562,000
				2WD	1,358,500
Color steel plate simple		5MT		4WD	1,512,500
refrigerator truck "SA IIIt"			0	2WD	1,457,500
Tomgorator track OA IIIt		4AT		4WD	1,611,500

**Delivery Series** 

Grade	Engine	Transmission	Smart Assist	Drive system	Price (in yen)			
		CNT		2WD	1,144,000			
Panel Van		5MT		4WD	1,144,000 1,298,000 1,243,000 1,397,000 1,193,500 1,347,500 1,292,500 1,446,500 1,160,500 1,314,500 1,259,500 1,413,500 1,210,000 1,364,000 1,309,000			
			-	2WD	1,243,000			
		4AT		4WD	1,397,000			
		5MT		2WD	1,193,500			
Panel Van "SA IIIt"		SIVIT		O 4WD 1,347,500				
	4AT	o l	2WD	1,292,500				
	NA	4/1		4WD	1,446,500			
	INA	5MT		2WD	1,160,500			
Panel Van High Roof		JIVI I		4WD	1,314,500			
Failer van Fligh Roof		4AT	-	2WD	1,259,500			
		4/1		4WD 1,397,00 2WD 1,193,50 4WD 1,347,50 2WD 1,292,50 4WD 1,446,50 2WD 1,160,50 4WD 1,314,50 2WD 1,259,50 4WD 1,413,50 2WD 1,210,00 4WD 1,364,00	1,413,500			
		5MT		2WD	1,210,000			
Panel Van High Roof "SA IIIt"		JIVI I	0	4WD	1,364,000			
I aliei vali i ligii Nooi SA liit		4AT		2WD	1,309,000			
		4/1		4WD	1,463,000			

<sup>©</sup> Prices are 11,000 yen (including consumption tax) higher in Hokkaido. Prices do not include recycling costs.

**Hijet Cargo** 

Grade	Engine	Transmission	Smart Assist	Drive system	Price (in yen)
		CNAT		2WD	951,500
On a significant		5MT		4WD	1,089,000
Special*15		4.4.	-	2WD	1,017,500
		4AT		4WD	1,155,000
		5MT		2WD	1,028,500
Special "SA III"*15		SIVIT	0	4WD	1,166,000
Special SAIII		4AT		2WD	1,094,500
		4AI		4WD	1,232,000
Special Clean*15			-	2WD	1,039,500
Special Clean 19		4AT		4WD	1,177,000
Special Clean "SA III"*15		4A1	0	2WD	1,116,500
Special Clean SAIII	NA			4WD	1,254,000
	INA	5MT 4AT		2WD	1,045,000
Deluve				4WD	1,182,500
Deluxe			-	2WD	1,111,000
				4WD	1,248,500
		5MT		2WD	1,122,000
☆ Deluxe "SA III""		SIVIT	0	4WD	1,259,500
₩ Deluxe SA III		4AT		2WD	1,188,000
		4A1		4WD	1,325,500
		5MT		2WD	1,210,000
Cruise "SA III"		SIVIT	0	4WD	1,347,500
Cruise SAIII		4 4 7		2WD	1,276,000
		4AT		4WD	1,413,500
		5MT		2WD	1,331,000
Cruise Turbo "SA III"	TC	OIVI I	0	4WD	1,468,500
Cruise rurbo SA III	10	4.4		2WD	1,397,000
		4AT		4WD	1,534,500

<sup>\*15.</sup> The indicated prices are for the high roof. Standard roof models are ¥11,000 yen less than the figures above (including consumption tax).

## Hijet Sloper (exempt from consumption tax)

Grade	Engine	Transmission	Smart Assist	Drive system	Price (in yen)
Hijet Sloper	- 2WD - 4WD		2WD	1,625,000	
(no rear seat, with folding auxiliary seat)		4WD	1,750,000		
Hijet Sloper "SA III"	INA	NA 4AT 2WD	2WD	1,685,000	
(no rear seat, with folding auxiliary seat)			O	4WD	1,810,000

ecially Equipped Hijet Carg	0		T T		
Grade	Engine	Transmission	Smart Assist	Drive system	Price (in yen)
		5MT		2WD	1,232,000
Deck Van L*16		JIVI I		4WD	1,369,500
		4AT	- [	2WD	1,298,000
		4A1		4WD	1,435,500
		CMT		2WD	1,309,000
Deak Vers I "CA III"*16		5MT		4WD	1,446,500
Deck Van L "SA III"* <sup>16</sup>		4.4.	0	2WD	1,375,000
		4AT		4WD	1,512,500
		51.4T		2WD	1,430,000
D 1 1/ 0+17		5MT		4WD	1,581,800
Deck Van G*17			0	2WD	1,496,000
		4AT		4WD	1,647,800
				2WD	951,500
***		5MT		4WD	1,089,000
Cargo Two-Seater*18			-	2WD	1,017,500
		4AT		4WD	1,155,000
				2WD	1,028,500
		5MT		4WD	1,166,000
Cargo Two-Seater "SA III"*18			0	2WD	1,094,500
		4AT		4WD	1,232,000
Cargo Two-Seater Clean*18	4AT	-	2WD	1,039,500	
	NA			4WD	1,177,000
Cargo Two-Seater Clean "SA III"*18		4AT	0	2WD	1,116,500
III				4WD	1,254,000
		5MT	_	2WD	1,089,000
Cargo Separate Two-Seater*19				4WD	1,226,500
- 3		4AT		2WD	1,155,000
				4WD	1,292,500
Cargo Separate Two-Seater "SA		5MT		2WD	1,166,000
III"*19		OWN	0	4WD	1,303,500
		4AT		2WD	1,232,000
		7/1		4WD	1,369,500
		5MT		2WD	951,500
Cargo Two-Sealer Brand		JIVI I		4WD	1,089,000
Specifications*19		4 5 T	] - [	2WD	1,017,500
		4AT		4WD	1,155,000
		CMT		2WD	1,028,500
Cargo Two-Sealer Brand		5MT		4WD	1,166,000
Specifications "SA III"*19		4	0	2WD	1,094,500
•		4AT		4WD	1,232,000
				2WD	2,008,600
Cargo Refrigerator Vehicle*19			-	4WD	2,146,100
argo Refrigerator Vehicle "SA		4AT		2WD	2,063,600
III"*19			0	4WD	2,201,100

 $<sup>^{\</sup>star}16.$  The Deck Van price is  $\+ 14,\!300$  (including consumption tax) higher in Hokkaido.

<sup>\*17.</sup> G SA III is standard only on 4WD models with cold region specifications.

\*18. The indicated prices are for the high roof. Standard roof models are ¥11,000 yen less than the figures above (including consumption tax). Prices are ¥14,300 (including consumption tax) higher in Hokkaido in Hokkaido (including consumption tax). \*19. High roof specifications only. Prices are ¥14,300 (including consumption tax) higher in Hokkaido.

Atrai Wagon

Grade	Engine	Transmission	Smart Assist	Drive system	Price (in yen)
A Occadance Touch a DO "CA III"				2WD	1,573,000
☆ Custom Turbo RS "SA III"	то.	4.4.		4WD	1,710,500
Custom Turbo RS Limited "SA	TC	4AT	O	2WD	1,683,000
III"				4WD	1,820,500

 $<sup>\</sup>odot Prices$  are ¥27,500 (including consumption tax) higher in Hokkaido.

**Atrai Sloper (exempt from consumption tax)** 

Grade	Engine	Transmission	Smart Assist	Drive system	Price (in yen)
Atrai Sloper "SA III"	TC	4AT	0	2WD	1,935,000
(with rear seat)				4WD	2,060,000
Atrai Sloper "SA III"				2WD	1,945,000
(no rear seat)				4WD	2,070,000

Atrai Rear Seat Lift (exempt from consumption tax)

Grade	Engine	Transmission	Smart Assist	Drive system	Price (in yen)
Atrai Rear Seat Lift "SA III"	TC	4AT	0	2WD	1,770,000
				4WD	1,895,000